		AUUIUILE
	APPLICATION FOR PERMITTO APPROPRIATE THE PUBLIC WATERS OF THE	
Re	Date of first receipt and filing in State Eng Returned to applicant for correction	
	The undersigned <u>Vineyard Land and Stock</u> Attorneys, Henderson, Caine & Van Fleetypme of applicant of	
	State of <u>Nevada</u> , hereby	•
	permission to appropriate the public waters	
	as hereinafter stated. (If applicant is a co	•
	place of incorporation.) State of Utah, Janua	
ЪŤ	prace of incorporation.) system of outer, easier	
1.	l. The source of the proposed appropriation	n is Thousand Springs Name of stream, Jako, or other source.
2.		0 second-feet
3.	One second-fo	ot equals 40 miners' inches.
4.	lrrigation, power, mini	ng, manufacturing, domestic, or other use.
ро Desc	point: NE of SW of Sec. 24 T. 40 N.R. 69 E	corner. If on unsurveyed land it should be so stated
-	· · · · · · · · · · · · · · · · · · ·	
	TE THE WATER IS TO BE USED FOR IRRIVATION SHEDLY IN	(C) FOLLOWING INFORMATION.
	IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE	
`.(a)	, , , , , , , , , , , , , , , , , , ,	
(b)		71. St of MW1. Who of the by logal subdivision, or if on unsurveyed land it.
shoo	SE1, and NE1 of Sec. 18 W1 of SW1, SE1 of SW boold be so stated and a description provided in accordance with special instruction from the State F	ingineer when application is returned for correction.
	Sec. 8 All in T. 40 N.R. 70 E., M.D.M.	
. —		
<del>.</del>	The state of the s	
- (c)	c) Irrigation will begin about <u>March late</u>	and end abou
•	November , of each year.	
	- L ( Stonati	
	IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION:	ON, OR OTHER USE, SUPPLY THE
(d)	(d) Power to be developed is	horse power.
- (e)	(e) Works to be located	
- 4	Give 40 acre subdivision on which works will be located, or locate by course a	nd distance to a section corner.
		*
7	(4) D. J.	returned
(1)	(f) Point of return of water to stream Not	1.Cuulied

(g) Remarks

## DESCRIPTION OF PROPOSED WORKS

_ [	Dams and ditches,
7	State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flutnes, or other conduits. If water
	is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the local subdivisions.
+	
_; _;	
- 1	
1	
5	. Estimated cost of works \$500
6	Estimated time required to construct works Two years
7	. Remarks The waters hereby applied for are flood waters and are to
1	used for the first and subsequent early irrigations of the with
. !	described lands.  VINEYARD LAND AND STOCK COMPANY , Applicant.
	By <u>Henderson</u> , <u>Caine &amp; Van Fleet</u> , Attorneys.
C	ompared Cancelled I 4 13/8 manage of tenture of
, ;	his sheet inspected policini to comply with provisions of permit.
. !	, Engineer.
	Engineer Constitute Case
	APPROVAL OF STATE ENGINEER
	This is to certify that I have examined the foregoing appli-
Ċ	ation, and do hereby grant the same, subject to the following lim-
:	tations and conditions:
	his permit is granted subject to existing rights on the source and
ţ	he grant is expressly limited to flood waters. A standard measuring
1	evice must be installed at or near the diversion to facilitate the
'n	easurement of water. A record of the amount of flood water diverted
	ust be kept and furnished in the Proof of Beneficial Use of Water.
٠.	he amount of water to be appropriated shall be limited to the
	mount which can be applied to beneficial use, and not to exceed
ì	
F	Six <u>&amp;4/10-</u> cubic feet per second.
Α	ctual construction work shall begin on or before May 23rd, 1914.
P	roof of commencement of work shall be filed before June 23rd, 1914.
W	ork must be prosecuted with reasonable diligence and be completed
	n or before May 23rd, 1915.
A	pplication of water to beneficial use shall be made on or before
	September 23rd, 1918.
P	roof of the application of water to beneficial use must be filed
Ý	ith the State Engineer on or before October 23rd, 1918.
1	WITHESS MY HAND AND SEAT. this 23rd day of August:1913.

Map filed TEB 1/4 1914.

Proof of labor filed JUN 19 1614.